

**Fanvil**



**Fanvil X1 / X1P**  
**Entry-Level IP Phone**  
Reliable. Affordable. Full-Featured



Fanvil X1 / X1P is an entry-level, cost-effective professional desktop IP Telephone. Coupled with basic features including 2-lines, 3-party conference function, easy-to-read backlight LCD display, it deftly meets the affordability and reliability requirements of any budget.



2-lines



128X48 LED



3-Way  
Conference



PoE



RJ9



## Clear Backlight Screen

The generously large 128 × 48 pixel LCD gives a clear 4-line display, enables quick access to more visual information at a glance. With backlight, the screen is easy-to-read even in weak light conditions.

## 2-Line Operation

You can dial and receive calls through two different SIP lines, which greatly enhance your efficiency and flexibility.



## Support 3-Way Conference

3-Way conference enables you to have a teleconference with two other parties, delivering more powerful and flexible session management.




## Effortless Configuration

The IP phone features web-based configuration via computer, bringing additional convenience and increasing productivity.

## PoE (Power over Ethernet) Integrated

10/100 Mbps with PoE (Fanvil X1P) integrated, free of power cables reduces number of wires on your desk and enables you to install the IP phone with ease.



## Compatible with your Platforms

Fanvil IP phones are all compatible with popular platforms such as 3CX, Asterisk, Broadsoft, Elastix, Zycoo etc..





## Features Overview



### 2-Line Operation

Coupled with 2 SIP lines, it allows you to dial and receive calls on two different phone lines



### PoE (Power over Ethernet) Available

10/100 Mbps with PoE (Fanvil X1P), you only need to connect with the ethernet cable, reducing the number of wires on your desk.



### Support 3-Party Conference

Allows you to have a 3-party conversation between you and 2 other parties.



### Easily store and dial frequently called numbers.

Allows you to view the name, number, date, time of incoming calls at a glance. Featured with call holding / restoring, call transfer, gives you more convenience.



### Supports Headset

Talk "hands free" with a headset (RJ9 port).



### Easy Web-based configuration

With web-based configuration, you can configure your Fanvil IP phone with ease.



### 500 Contacts Directory

Easily store and dial frequently called numbers.



### LCD Screen with Backlight

Facilitate access to easy-to-read, 128 x48 resolution, Black & White backlight screen



### Compatible with Major Platforms

Compatible with 3CX, Asterisk, Broadsoft, Elastix, Zycoo etc..

## Fanvil Technology Co., Ltd

www.fanvil.com

Tel: +86-755-2640-2199

Fax: +86-755-2640-2618

Email: sales@fanvil.com

Add: 4F, Block A, Building 1#, GaoXinQi Hi-Tech Park (Phase-II), 67th District, Bao'An, Shenzhen, China 518101

## Technical Data

Mode	X1/X1P
LCD	dot-matrix screen (include backlight)
Resolution ratio	128x48
SIP Line	2
Audio	Low-Bandwidth(G.711 a/u/G.723.1/G.726/G.729AB)
Phone book	500 entries
Call Logs	100 entries, In / Out / Missed
Phone Features	Caller ID, DND, Call holding / restoring Auto Answer, Call transfer, 3 way call conference
Color	Black
Network port	10/100 Mbps, Networkx1 / Computer x1
RJ9 port	Handset x1, Headphone x1
Power	Input: 100-240V Output: 5V / 0.6A